

Mill Mouse User Guide

Ver. 8.6 Author: topolo-Z



Outline

- Introduction
- Features
- System requirements
- Guide to click action

Installation

Installation

How to use


- Launch Mill Mouse
- Basic functions
- Change click actions
- To change click actions frequently
- Zoom on apps
- Switch magnifier
- Switch touch keyboard
- Perform shortcuts and show next/previous
- Expand/collapse window
- Unhide window
- Exit Mill Mouse



Settings of Mill Mouse

- Open settings dialog
- Speed adjustments
- Input method
- ► <u>Game controller</u>
- Pause
- Sound
- ► <u>Scroll</u>
- Click action
- Subaction
- Keyboard
- Shortcuts

- Add custom shortcuts
- Press keys only when gazing
- Add custom texts
- Shortcuts to launch other apps
- Separate windows
- Window display
- ► <u>Startup</u>
- Check for a new version
- Simple mode
- Profile



Other functions

- **Calibration of eye tracking**
- Vertical window
- Task View
- Action Center
- **User Account Control**
- Camera panning during games
- Pointer movement during games
- Click action during games
- Combination with physical mouse
- Stop eye tracking
- Hide mouse pointer

- <u>Mill Mouse specific shortcut keys</u>
- Supported languages
- High contrast

Tips

- <u>To enlarge buttons</u>
- Upgrading Tobii Core Software
- To use SSML or SAPI TTS XML
- To use SwiftKey on Windows 10
- To use 50-on keyboard layout
- Remote control of other PCs

4

Windows eye control

- ► <u>Settings</u>
- ► <u>How to use</u>
- ► <u>Turn off</u>

Notices

- ► <u>Uninstallation</u>
- ► <u>Known issues</u>
- Restrictions
- Contacts to author

Appendix







Introduction


Thank you for using Mill Mouse.

Mill Mouse controls mouse with eye tracking by Tobii Eye Tracker 4C or other devices.





You can move the pointer to where you are looking at. You can click when you keep gazing at the same place or close eyes.



Features


Support scroll operations


Mill Mouse supports scroll operations on the start menu, Web browsers, etc. You can scroll up by looking at the top of them and scroll down by looking at the bottom.



Adjust against the involuntary shaking of eyes

Mill Mouse controls the mouse pointer not to be protruded from the frames of the buttons or other objects in order to make it easier to click them.






Features

Support operations on User Account Control dialog

appeared when you install apps or run apps as administrator.



System requirements

Any combination of the following is required to use Mill Mouse:

Eye and head tracking

Device	OS	Software	
Tobii Eye Tracker 5	Windows 11, Windows 10	Tobii Experience	




System requirements

(Continued)

Eye tracking

Device	OS	Software	
Tobii Eye Tracker 4C	Windows 10, Windows 8.1, Windows 7	Tobii Experience (Wind or Tobii Eye Tracking Core	
Tobii EyeX, SteelSeries Sentry	Windows 10, Windows 8.1, Windows 7	Tobii Eye Tracking Core	
Irisbond Duo	Windows 10, Windows 8.1, Windows 7	Irisbond Duo Drivers	
EyeTech TM5	Windows 10, Windows 8.1, Windows 7	(No additional software	



System requirements

(Continued)

Head tracking

Device	OS	Software
TrackIR 5	Windows 10, Windows 8.1, Windows 7	OptiTrack Camera SDK and TrackIR Software
Built-in camera, Webcam	Windows 11, Windows 10, Windows 8.1	VSeeFace



Guide to click action

You can select the input method in the settings of Mill Mouse from the following.

- Click when you keep gazing at the same place
- Click when you close your eyes
- Click when you press button on game controller 3.
- Click when you speak into a microphone 4.
- Use head tracking 5.

The default setting is 1. This guide is based on 1.

For the usage when you select 2, please change the description of "keep gazing" to "close eyes" in this guide. Similarly, please change the description to "press button on game controller while gazing" for 3, "speak into a microphone while gazing" for 4, and "change your head pose while gazing" for 5.

Please extract the ZIP file of Mill Mouse to any location.

Mill Mouse folder and the following 2 items will be extracted.

Mill_Mouse_86.exe	Installer
UserGuide.pdf	This file


 \therefore .exe or .pdf is not displayed in some cases.



Run Mill_Mouse_86.exe.




Click Yes on the User Account Control dialog.





Click Next once or twice.


🗂 Setup - Mill Mouse 8.6 - 🗆 🗙	🍵 Setup - Mill Mouse 8.6
Select Start Menu Folder Where should Setup place the program's shortcuts?	Select Additional Tasks Which additional tasks should be performed?
Setup will create the program's shortcuts in the following Start Menu folder. To continue, click Next. If you would like to select a different folder, click Browse. Mill Mouse Browse	Select the additional tasks you would like Setup to perform while then click Next. Additional shortcuts: Create a desktop shortcut Startup: Automatically start Mill Mouse
Don't create a Start Menu folder	
Next Cancel	Back
If you have installed Mill Mouse, this screen will be skipped.	



Click Install and Finish.

To complete the installation of Mill Mouse, sign out from Windows once and sign in again.

🗴 Setup - Mill Mouse 8.6	- 🗆 🗙	🚺 Setup - Mill Mouse 8.6	
Ready to Install Setup is now ready to begin installing Mill Mouse on your computer.			Completing the Mil Wizard
Click Install to continue with the installation, or click Back if you want change any settings. Start Menu folder: Mill Mouse	t to review or	(10)	Setup has finished installing Mill Mo application may be launched by sel shortcuts. Click Finish to exit Setup.
Back Ins	tall Cancel		
	2		



Installing Tobii Experience

If you want to use Tobii Eye Tracker 5 but have not yet installed Tobii Experience, please install it with the following steps.

- 1. Access the following URL. https://gaming.tobii.com/getstarted/?bundle=tobii-et5
- Scroll down the screen a little. Click 'DOWNLOAD DRIVER' to download the installer and run it.
- Connect Tobii Eye Tracker 5 to your PC. 3.
- icon in the notification area of the taskbar. Click
- The Tobii Experience window will open. Click the gear icon in the upper right 5. corner, click 'Set up display', and follow the instructions on the screen to make the settings.

Installing Tobii Core Software

If you want to use Tobii Eye Tracker 4C, Tobii EyeX, or SteelSeries Sentry but have not yet installed Tobii Eye Tracking Core Software, please download and install it from the following URL.

https://gaming.tobii.com/getstarted/?bundle=tobii-core&autodownload=true

Installing Irisbond Duo Drivers

If you want to use Irisbond Duo but have not yet installed Irisbond Duo Drivers, please access the following URL, click Download of Drivers, and install it.

https://www.irisbond.com/en/support-service/downloads-system-software-and-third-party-apps/



Installing OptiTrack Camera SDK

If you want to use TrackIR 5 but have not yet installed OptiTrack Camera SDK, please access the following URL, click 'Previous Releases' > 'Camera SDK 2.3.7' to download, and install it.

https://www.optitrack.com/support/downloads/developer-tools.html#camera-sdk

Additionally, if you have not yet installed TrackIR Software, please access the following URL, click Download, and install it.

https://www.trackir.com/downloads/

To use TrackIR 5 with TrackClip Pro, change the setting described on page 49 of this guide after launching Mill Mouse.


Installing VSeeFace


If you want to use VSeeFace, please install it with the following steps.

- 1. Access the following URL and click Download to download the ZIP file. https://www.vseeface.icu/#download
- Extract the downloaded ZIP file to any location. 2.
- Run VSeeFace.exe in the extracted folder.
- Proceed through the tutorial, select Camera and click Start. 4.
- Click 'Settings' > 'General settings' and check 'Face tracking'. Scroll down the 5. settings screen and check both 'Send data with OSC/VMC protocol' and 'Disable packet bundling'.
- 6. Enable 'Mirror motion'. This setting is not required, but enabling it allows you to move the mouse pointer more intuitively.
- If you want to use 'Click when you close your eyes' in Mill Mouse, Click 7. 'Settings' > 'Expression settings' and check 'Enable eye blinking' in VSeeFace.
- After launching Mill Mouse, configure the settings described on page 50 of this 8. guide.

How to use







Change click actions

You can change the click action performed when you keep gazing at the same place. Each time you look at the button on the far left of the window, the action will be changed.




You can change between seven types of actions by default: Click, Double click, Drag, Right click, Tap, Choose, and No click.

You can change the settings of Mill Mouse to use only certain click actions.

- Tap action is not supported on Windows 7. \mathbf{X}
- If 'Switch primary and secondary buttons' is enabled for the mouse, it will be left click rather than \mathbf{X} right click.






If you keep gazing on the touch keyboard or the on-screen keyboard, the click action will be done \mathbf{X} without displaying the action panels.

Zoom on apps


 \mathbf{X}

the second from the left of the window.



Switch magnifier

By using Magnifier on the third from the left of the window, you can zoom in on the desktop screen before the click action.




On Windows 7, Magnifier is only available when Windows Aero is enabled. \mathbf{X}

4 To turn Magnifier off, look at Magnifier again.

Switch touch keyboard

You can switch show/hide of the touch keyboard by looking at Keyboard on the fourth from the left of the window.





You can also use the on-screen keyboard instead of the touch keyboard by changing the settings of Mill Mouse.


Perform shortcuts

If you look at any button on the right side of the window, you can perform shortcuts assigned to them, such as Ctrl + X, Ctrl + V, and so on.

You can change the settings of which shortcuts are displayed in the window.








the window.

Unhide window

By default, the window will be hidden after a while.

To unhide, look at the upper left corner of the desktop screen.

If it does not work, try to look at the outer frame of the monitor.



If the taskbar is located at the top or the left, look at the bottom right corner of the screen. \mathbf{X}


Whether to automatically hide the window and where to re-display it can be changed by settings. *





Exit Mill Mouse

To exit Mill Mouse, look at the X button at the top right of the window.





Settings of Mill Mouse




Settings - Open settings dialog

 \mathbf{X}

the dialog to change the settings of Mill Mouse by looking at it.

that, the settings dialog will open.



Settings - Speed adjustments


You can adjust the speeds on the Speed tab of the settings dialog.

E Settings - Mill Mouse X												
+ Subaction E Ke Speed Input											tup Scroll	
Pointer speed:	Slow	i ī	i	9	1	1	I	9	1	9	i. E	Fast
Click interval:	Long	1	4	i i	1	1	ļ	3	9	3	6	Short
												Close



You can change the input method on the Input tab of the settings dialog.

Settings - Mill Mouse				×			
+ Subaction 🔲	Keyboard ∕7 Shortcu It ເ⊃ Controller			1			
Input method: Input when you keep gazing at the same place							
	Click when you press button on game controller						
	Click when you speak into a microphone						
Use head tracking							
	Click when you turn you	ir face upward		~			
Eye to use: C	ne or both eyes	.*	Calibratic	on			
				Close			



If you check 'Click when you close your eyes', the click action will be performed when you close one or both eyes. The setting of 'Eye to use' determines which eye's closure will perform the click action.

'Eye to use'	Which eye's closure will perform the
If you select 'Always both eyes'	Left or right eye closure
If you select 'One or both eyes'	Both eyes closure
If you select 'Left eye'	Left eye closure
If you select 'Right eye'	Right eye closure

If you use VSeeFace, the above corresponds to the left and right eyes of the avatar. \mathbf{X}

he click action



You can change the click action that will be performed when you close your eyes.

E Settings - Mill Mouse	e	×	
		Startup 🔗 Profile	
Input method:	☑ Click when you keep gazing at the same place		①Check 'Click when
	☑ Click when you close your eyes	•	eyes' and press the to the right.
	Click when you press button on game controller		to the right.
	\Box Click when you speak into a microphone	0	
	□ Use head tracking	٥	
	Click when you turn your face upward	~ ·	
Eye to use:	One or both eyes	Calibration	
		Close	

you close your e gear icon button

(Continued)

②If you have selected 'Always both eyes' for 'Eye to use', a dialog will be displayed to select the action for the left eye and the right eye. If you have selected something other than 'Always both eyes' for 'Eye to use', a dialog will be displayed to select only one action.

📋 Advanced - Mill I	Mouse	×	Advanced - I	Mill Mouse	
Select an actio	on to perform when you close your eyes.		Select an a	ction to perform wher	n you close your e
Left eye:	Default	~	Action:	Default	
Right eye:	Default	~			OK
	OK Cancel		For	r other than 'Al	ways both e

For 'Always both eyes'




(Continued)

Advanced - Mill	Mouse	×
Select an action	on to <mark>perform wh</mark> en you close your eyes.	
Left eye:	Default	~
	Default	
	Click	
Right eye:	Double click	
	Drag	
	Right click	
	Right double click	
	Right drag	
	Click both	
	Drag both	
	Тар	
	Choose	
	Select a key	

③Select a click action to perform when you close your eyes. If you select Default as the click action, the click action on the button on the far left of the Mill Mouse window will be performed when you close your eyes.

④ Press OK.

specific phrases into the microphone.



 \mathbf{X} Control Panel > Speech Recognition > Advanced speech options > Language.

(Continued) Advanced - Mill Mouse Use voice commands		e displayed. If you want to use ands, check 'Use voice commands', ncheck it.
Phrase Double click Drag Left click Right click	Action Double click Drag Click Right click	③If you use voice commands, a list and actions will be displayed. The represents the phrase you speat phone, and the 'Action' column action to be performed when you By default, 4 types of phrases at "Double click", "Drag", "Left click"
+	Cancel Apply	For example, speaking "Left click

- If you use voice commands, the action will be performed with a short delay after you speak into the \mathbf{X} microphone.
- By default, speaking "Drag" starts a drag, and speaking "Drag" again performs a drop. \mathbf{X}

ist of saved phrases The 'Phrase' column eak into the microimn represents the ou speak that phrase. are saved: k", and "Right click".

ck" performs a click.

(Continued)

Advanced - Mill Mouse		X Voice command	l - Mill Mouse X
Use voice commands	č	Phrase:	Start
Phrase	Action		
Double click	Double click	Action:	Shortcut key
Drag	Drag		r
· · · ·	-11 1	Modifiers:	(None) ~
phrases.	up to 20 voice command	Key:	Win ~ +
ohrases.	on to add a phrase.		Win · · · · · · · · · · · · · · · · · · ·


a _ ,,

(Continued)

Advanced - Mill Mouse		\times
 ✓ Use voice commands Phrase Double click Drag Left click Right click Start 	Action Double click Drag Click Right click Win	⁽⁶⁾ The phrase will be added to the list. Press the OK or Apply button to enab the added phrase.
+ < 🗈 X OK	Cancel	Apply



'Use head tracking' is available with Tobii Eye Tracker 5.



If you use Tobii Eye Tracker 4C, 'Use head tracking' is available with Tobii Eye Tracking Core Software \mathbf{X} version 2.13.1.



If you are using TrackIR 5, the items on the Input tab of the settings dialog will be different than if you were using other devices. To use with TrackClip Pro, change 'Tracking target' to TrackClip Pro.


Settings - Mill Mou	ise				×	
+ Subaction			s 🗖 Window Pause 🕬 Sc	v ☐ Startup ound ♦ Scroll	♀ Profile ◯ Click	
					O Click	
Input method: Click when you keep gazing at the same place						
 Click when you close your eyes Click when you press button on game controller 						
	□ Click wher	n you speak into	a microphone		0	
Use head tracking						
	Move the	e pointer with h	ead tracking inst	ead of eye trackir	ng –	
Tracking targe				~		
	TrackClip TrackClip Pr Reflective n				Close	

It can also be used with a commercial reflective material instead of TrackClip or TrackClip Pro. To use with a reflective material, change 'Tracking target' to 'Reflective marker'. You can move the mouse pointer by moving the reflective material up, down, left or right in front of the TrackIR 5 camera.

Reflective material may have adhesive, \mathbf{X} but it cannot be applied to skin such as the forehead.

If you use VSeeFace, check 'Receive VMC Protocol messages'.

Settings - Mill Mouse	× Advanced - Mill Mouse
 + Subaction ■ Keyboard Shortcuts Window Startup Prof Speed Input Controller II Pause Sound Scroll Cit Input method: Click when you keep gazing at the same place Press the gear icon button to the right of 'Use head tracking'. 	
 Click when you speak into a microphone Use head tracking Click when you turn your face upward Eye to use: One or both eyes Calibration 	ок ②Dialog will be disp Check 'Receive VM messages' and pre
Close	



Depending on the setting of 'Input method' on the Input tab, the meaning of 'Click interval' on the Speed tab changes as follows:

'Input method' on Input tab	Meaning of 'Click interval'
If you select 'Click when you keep gazing at the same place'	How long time you keep gaz place in order to perform th
If you select 'Click when you close your eyes'	How long time you keep cl in order to perform the clicl
If you select 'Click when you press button on game controller'	No effect
If you select 'Click when you speak into a microphone'	How often to perform the cl you continue speaking
If you select 'Use head tracking'	No effect

on Speed tab

zing at the same he click action

closing your eyes ck action

click action when

Settings - Game controller


On the Controller tab of the settings dialog, you can map specific click actions to the 10 buttons on your game controller.

Settings - Mill Mouse					×
+ Subaction E Key	board ∕ Shor ⇔ Controller	tcuts 🗖 🛛			Profile) Click
□ Click when you press Select an action to r					
1 Default	м. ж.	2 Defa	ult	×	
³ Default		4 Defa	ult	.×.	
5 Default	~	6 Defa	ult	~	
7 Default	~	8 Defa	ult	~	
9 Default	×.	10 Defa	ult	×.	
				Cl	ose

Settings - Game controller

If you map a click action to a button on your game controller, the mapped click action will be performed when you press that button.


E Settings - Mill Mouse		\times
+ Subaction	tcuts ☐ Window II Pause ⊄ŵ) Sound	☐ Startup A Profile d ◇ Scroll ⑦ Click
☑ Click when you press button on game	controller	①Check 'Click when you press bu controller'.
Select an action to map to each butto	n.	
1Default3Default3Click5Double click9Right click9Right double click9Right dragClick bothDrag bothTapChooseNo clickSelect a key	 2 D. Gult 4 Default 6 Default 8 Default 10 Default 	 ②Select the click action to be m number. For Xbox controllers, '1' corresponds to A button, '2' corresponds to B button, '3' corresponds to X button, an '4' corresponds to Y button. If you map Default, pressing th game controller will perform a button on the far left of the Mi



Settings - Game controller

If you map a key to a button on your game controller, the mapped key will be entered when you press that button.

Setting	①Check 'Click w		Controller - Mill Mouse			
+ su © sp	game controlle	er'.			Button:	Button 1
⊠ Clicł	k when you press button on game co	ontroller			Modifiers:	(None)
Selo	ect an action to map to each button Default Default	2 Default 4 Default	~		Кеу:	Space
5 7 9	Click Double click Drag Right click Right double click Right drag Click both	 6 Default 8 Default 10 Default 		•	/ill be dis he key to	
	Drag both Tap Choose No click Select a key	②Select 'Select a key from the list.			-	OK. In this e be entered b



Settings - Pause

On the Pause tab of the settings dialog, you can change whether to pause the eye tracking when you use the physical mouse and the shortcut key to pause.

📋 Settings - Mill Mouse								×
+ Subaction	I Keyboard put Co		ortcuts Pai		Window ଏ୬) Sour		Startup	♀ Profile ⑦ Click
✓ Pause eye contr	rol when you ı	move the	physica	mou	se			
☑ Pause eye contr	rol when you a	click a ph	ysical mo	ouse b	outton			
☑ Pause eye conti	rol when you ı	move the	e right th	umbst	tick on Xb	ox co	ontroller	
Shortcut key:	Alt+Shift+M						Change	
								Close

Settings - Sound

On the Sound tab of the settings dialog, you can change whether to use click sound and the voice to read texts aloud.

Settings - Mill Mous	e
	■ Keyboard Shortcuts Shortcuts Window Startup Startup Startup Startup Startup Controller Startup Sta
□ Use click sou	nd
Sound:	Windows Navigation Start.wav Browse
□ Hear text of t Voice:	he clicked item read aloud Microsoft Zira Desktop - English (United States)
	▶ Test
	Close

To use non-English voice on Windows 7, please install <u>Microsoft Speech Platform Runtime</u> and \mathbf{X} <u>Text-to-Speech engine data</u> additionally.





Settings - Scroll

On the Scroll tab of the settings dialog, you can change whether to use scrolling feature and the lines to scroll each time.

E Settings - Mill Mouse					×
+ Subaction 📼 Keyboard				[□] Startup	
☑ Use scrolling					
Lines to scroll each time:	Fewer	K.	*	1	More
				-	
				4 <u>1</u>	Close

Even if you enable the scrolling feature, it will not scroll while you hold down the Ctrl or Shift key. *

Settings - Click action

You can change to use only certain click actions on the Click tab of the settings dialog.


Button 1	• •				
Click				. •	
Double click			Check th	ne actioi	ns to use.
🗹 Drag			Uncheck	the act	tions not to use
🗹 Right click		l			
🗹 Тар					
🗹 Choose	•				
🗹 No click					
Right double click					
🗌 Right drag					
Click both					



Settings - Click action

You can increase the number of click action buttons on the far left of the window up to 4 buttons.

Select the actions to use.	①Select the action you want to use as another button.
Choose ^	
Right double click	
🗌 Right drag	
Click both	②Press ▼ button several times to I
🗆 Drag both 🔹 🔺	
Button 2	it under 'Button 2'.
🗹 No click 🔹 🔻	
Button 3 A	
🗌 (None)	
Button 4 A	







Settings - Click action

You can assign shortcut keys to click actions.

Settings - Mill Mouse	×	Shortcut key - N	Vill Mouse
+ Subaction Keyboard 7 Speed Input Controlle 1Select a cli action.	Ck Click	Action:	Click
Select the actions to use.		Modifiers:	(None)
☑ Click			
☑ Double click		Kova	C
☑ Drag		Key:	С
☑ Right click			1
⊡ Тар			
✓ Choose	3 Dialog	will be dis	
☑ No cli	- U		
Right 2 Press the button	Select	the key to	assign.
Right to edit.		-	
		_	ss OK. In this on will be ch
	Close	pres	ssing the C ke

Depending on the key you select, you may not be able to assign it. In that case, you will not be able \mathbf{X} to press OK button in (4), so select another key.

example, the click anged to Click by ey.

Cancel

X

OK

Settings - Subaction

On the Subaction tab of the settings dialog, you can change whether to show Stretch/Shrink or Magnifier button in the window, the zoom increments of the magnifier, and whether to use Gaze Trace.

Settings - Mill Mouse	×
	Scroll ① Click Startup 冬 Profile
 Show Stretch/Shrink button Show Magnifier button Zoom increments: 100% Use Gaze Trace 	Gaze Trace is a feature of Tobii Expendent Tobii Eye Tracking Core Software Trace enables a bubble to show whe looking.
	Close

'Use Gaze Trace' is only available if you have Tobii Experience or Tobii Eye Tracking Core Software \mathbf{X} installed.

erience e. Gaze ere you are



Settings - Keyboard

On the Keyboard tab of the settings dialog, you can change whether to show keyboard button in the window and whether to use the touch keyboard or the on-screen keyboard.

Settings - Mill Mouse	×
Controller Pause (1)) Sound	
☑ Show Keyboard button	
Keyboard type: Touch keyboard On-screen keyboard 	
	Close

Settings - Keyboard

If you have installed **Tobii Dynavox Windows Control**, you can select Tobii Dynavox Windows Control as 'Keyboard type'.

Settings - Mill Mouse					X
No. of Concession, Name of Street, or Street,	States and States and States and	ntroller			
Show Keyboard	d button				
Keyboard type	Touch k On-scre	eyboard eyboard en keyboard /navox Windo	vs Control		
				1	Close

To use the taskbar or shortcuts in Tobii Dynavox Windows Control that appear on the left or right side \mathbf{X} of the desktop screen, run Tobii Dynavox Windows Control separately from Mill Mouse.



Settings - Shortcuts

You can change the shortcuts to be displayed in the window from the Shortcuts tab of the settings dialog.

You can set up to 20 shortcuts.

🗄 Settings - Mill Mouse	×
 Speed ● Input ☺ Controller + Subaction	Pause Image: Image
 □ Show desktop (Win+D) □ File Explorer (Win+E) ② Settings (Win+I) □ Connect (Win+K) □ Lock (Win+L) □ Lock (Win+L) □ Rotation lock (Win+O) □ Project (Win+P) □ Run (Win+R) 	Stop eye control Image: Start (Win) Image: Task View (Win+Tab) Image: Cut (Ctrl+X) Image: Copy (Ctrl+C) Image: Paste (Ctrl+V) Image: Delete (Del) Image: Delete (Del) Image: Delete (Del) Image: Ctrl+Y) Image: Ctrl+Y) Image: Ctrl+Y)
✓ Search (Alt+Q) ★	Redo (Ctrl+f) Open (Ctrl+O) Close

65

Settings - Shortcuts

86 types of shortcut keys listed at the end of this guide are available as shortcuts.

In addition to the shortcut keys, the following 11 types of shortcuts for Mill Mouse are also available.

- Settings of Mill Mouse
- Calibration
- Move Mill Mouse
- Move Mill Mouse up
- Move Mill Mouse down
- Minimize Mill Mouse

- Hide Mill Mouse
- Stop eye control
- Hide pointer
- Move pointer
- Exit Mill Mouse

- 'Minimize Mill Mouse' is a shortcut to minimize the Mill Mouse main window and separate windows to \mathbf{X} the taskbar. 'Hide Mill Mouse' is a shortcut to hide only the Mill Mouse main window.
- 'Move Mill Mouse up' and 'Move Mill Mouse down' will be changed to 'Move Mill Mouse left' and 'Move \mathbf{X} Mill Mouse right' when the window of Mill Mouse is displayed vertically.



Settings - Shortcuts


You can assign shortcut keys to 11 types of shortcuts for Mill Mouse.

音 Settings - Mill Mouse	X	📋 Shortcut key - N	/ill Mouse	×
①Select a shortcut	II Pause 데 Sound 다 Scroll ① Click rtcuts	Action:	Settings of Mill Mouse	
for Mill Mouse.	Current shortcuts:	Modifiers:	Ctrl	~
	Settings of Mill Mouse Stop eye control 記 Start (Win) 其i Task View (Win+Tab)	Key:	F1	~
Connect (Win+K) ② Press the button to edit. > Search (AIT+Q)	Paste (Ctrl+V)	will be displ the key to as		
+ N 🗈 X	Close	dialo	g of Mill Mouse w sing Ctrl + F1.	• •

Depending on the key you select, you may not be able to assign it. In that case, you will not be able \mathbf{X} to press OK button in (4), so select another key.

ings

You can add up to 20 custom shortcut keys.







(Continued)

	Custom - Mill Mou	se	×	Custom - Mill N	Mouse
	General View	Speed		al Viev	Speed
	Name:	Quick Link		Preview:	Quick Link
	Type: Modifiers:	Shortcut key Win	~	Color:	 Default
	Key:	X	~ +	lcon:	
	Action:	Hold down keys Press keys only when you gazing	g at the	□ Always sl	now as transparent when
	•	^b shortcut button e displayed. Set the		ect the key.	
na	ame and se	lect 'Shortcut key'.	Cancel		,

 \times For Name, set a short string to be displayed in the window as the following \otimes .




(Continued)




(Continued)

Settings - Mill Mouse				×
 ● Speed ● Input ● Co + Subaction ■ Keyboard 	ntroller ∣∣ Pa ∕ Shortcuts	use 印》Sound 티 Window 다	♦ Scroll Startup	
 Available shortcuts:	●□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□	rent shortcuts: Tain window (20) Settings of Mill Mc Stop eye control Start (Win) Task View (Win+Ta Cut (Ctrl+X) Copy (Ctrl+C) Paste (Ctrl+V) Delete (Del) Undo (Ctrl+Z) Redo (Ctrl+Y) Open (Ctrl+O)	ouse	
+ 、 🗅 >	< ·			
				Close








Unlike holding down the physical keys, the keys will not be entered repeatedly. \mathbf{X}

Settings - Press keys only when gazing

If you check 'Press keys only when you gazing at the shortcut button' on page 69 of this guide, the keys will be pressed only when you gaze at the shortcut button regardless of the input method setting on page 39 of this guide.


If you also check 'Hold down keys', the keys will remain pressed while you gaze at the shortcut button, and will be released when you remove your gaze from the shortcut button.



If you check 'Press keys only when you gazing at the shortcut button' and uncheck 'Hold down keys', the keys will be pressed and immediately released when you gaze at the shortcut button.

Settings - Add custom texts

You can also set custom texts for input to the text editors or other apps, or reading aloud.




For Name, set a short string to be displayed in the window as the following (5). \mathbf{X}

OK

Cancel

X



74

Settings - Add custom texts


(Continued)

Se Se	ettings - Mill Mouse						×
		ut 🖙 Cont Keyboard	roller ⁄ Short	ll Pause cuts 臣	다) Soun 3 Window		
 + Subaction ■ Keyboard Available shortcuts: Custom Hello (Hello.) General Are (Win+A) 4 It will be added to 'Available shortcuts'. Press > button to move it to 'Current shortcuts'. 		Current shortcuts: Main window (20)					
		₽ x			edo (Ctrl+Y)		~
							Close





If you have checked 'Hear text read aloud'




Settings - Shortcuts to launch other apps

You can also add shortcuts to launch other apps.

Settings - Mill Mouse	X	Custom - Mill Mou	se
Control	oller Pause 회 Sound ۞ Scroll ① Click	General View	Speed
+ Subaction E Keyboard	✓ Shortcuts ☐ Window ☐ Startup	Name:	Paint
General Action Center (Win+A)	Main window (20)	Туре:	Арр
□ Show desktop (Win+D) □ File Explorer (Win+E)	☐ Stop eye control 문 Start (Win)	Target:	lows\System32
ジ Settings (Win+I) 도 Connect (Win+K)	► ☐ Task View (Win+Tab)	Arguments:	
①Press '+' button.	 Copy (Ctrl+C) Paste (Ctrl+V) Delete (Del) Undo (Ctrl+Z) 	Start in:	
 Search (Alt+Q) + X 	②Dialog will be displayed. Set the name and select App.		
	Close		

 \times For Name, set a short string to be displayed in the window as the following 5.



Settings - Shortcuts to launch other apps


(Continued)

Settings - Mill Mouse					×
 ○ Speed Input< Subaction ■ Keyboard ■ Keyboard	ontroller ⁄ Shoi		ise 印)Sound 回 Window	d ≎ Scroll 〒 Startup	0 Click
Available shortcuts: Custom Paint (mspaint.exe) General Arri (Win+A) ed to 'Available ess button to rrent shortcuts'.	X SHO	Curr ③ 口 器 ゴ よ	rent shortcuts: ain window (20) Settings of Mill Stop eye contro Start (Win) Task View (Win+ Cut (Ctrl+X) Copy (Ctrl+C) Paste (Ctrl+V) Delete (Del) Undo (Ctrl+Z) Redo (Ctrl+Y) Open (Ctrl+O)	Mouse	
					Close


Settings - Shortcuts to launch other apps


(Continued)

Click



launch the app associated with the file type.





47

a server y survey suit

Settings - Separate windows

You can also show the shortcuts in separate windows. You can set up to 20 shortcuts.


General □ Action Center (Win+A) □ Show desktop (Win+D) □ File Explorer (Win+E) ③ Settings (Win+I) □ Connect (Win+K) □ Lock (Win+L) ④ Rotation lock (Win+O) □ Project (Win+P) □ Run (Win+R) ✓ Search (Alt+Q) ▲ Save (Ctrl+S) ○ Refresh (F5) ○ Search (F3) ← Back (Alt+Left Arrow) → Forward (Alt+Right Arrow) × Esc key (Esc) ← Enter key (Enter) ~ Up Arrow > Down Arrow Separate windows (1) ▲ Cut (Ctrl+X)	in separat (2) Press it unde	7 bu
--	---------------------------------------	-------------

out from 'Current ch you want to show ndow.

ton several times to move parate windows'.

Settings - Separate windows


(Continued)



③The shortcut button appears in a separate window on the desktop screen.

④You can move it on the desktop screen by dragging inside. You can change the size by dragging the edges.






Settings - Window display

On the Window tab of the settings dialog, you can change the window display location, whether to automatically hide or fade the window, and the color of the window.

E Settings - Mill Mouse	Default location of the main wind
 ③ Speed	screen' allows you to change the where the window will reappear w
Default location of the main window on screen:	is hidden.
Opposite side of the taskbar (Top left)	
✓ Automatically hide the main window ✓ Keep the main window on top of other windows	If you uncheck 'Automatically hi window', the window position no started will be the last end posit
\square Show the window as transparent when inactive	
Color: • Gray O Black O Auto	
	Close

 \aleph If high contrast is enabled, the color can not be changed.



Settings - Startup


On the Startup tab of the settings dialog, you can change whether to automatically launch Mill Mouse when you sign-in to Windows, whether to terminate Tobii Experience or Tobii EyeX Interaction in the notification area of the taskbar, and the startup mode.

E Settings - Mill Mouse X
• Input • Input • Controller • Il Pause • Il Pause
□ Start Mill Mouse when you sign-in
Automatically check whether a new version is available after starting Mill Mouse
Terminate Tobii Experience after starting Mill Mouse
Startup mode: Normal Simple
Close

Settings - Check for a new version

If you enable 'Automatically check whether a new version is available after starting Mill Mouse', it will automatically check for a new version via the internet when you launch Mill Mouse.

If a new version of Mill Mouse is available, the message below will appear. Click Yes to update.



- It will not automatically check for a new version if Mill Mouse is running in simple mode. \mathbf{X}
- It will not automatically check for a new version over metered connections on Windows 11, Windows 10, \mathbf{X} or Windows 8.1.

84

Settings - Check for a new version

(Continued)

Click Yes on the User Account Control dialog.

	User Account Control	×
	Do you want to allow this app to make changes to your device?	
	Mill Mouse 8.6 Setup	
	Verified publisher: topolo-Z File origin: Hard drive on this computer	
$\sim \sim$		
$\bigcirc \bigcirc$	Yes No	
	12,	




Settings - Check for a new version


(Continued)

A new version of Mill Mouse will be installed automatically. Eye tracking will temporarily stop during installation.

Once the installation is complete, the new version of Mill Mouse will automatically launch and you can resume eye tracking.


At the end of the installation, click OK when the message below appears.





If you set the startup mode to Simple described on page 83 of this guide, Mill Mouse will run in simple mode. In simple mode, the available functions and display items are limited. It has the following differences from normal mode.


- In simple mode, only clicks are performed when you keep gazing at the same place. Any action other than clicking, such as double clicking or dragging, is not possible.
- In simple mode, only the Pause button is displayed on the desktop screen. Neither the main window of Mill Mouse nor separate windows are displayed.




You can move the Pause button on the desktop screen by dragging inside. You can also change the size of the Pause button by dragging the edges. However, you can not perform drags by eye tracking in simple mode, so you need to use a physical mouse to drag it.

To pause clicks in simple mode, keep gazing at the Pause button. Then the button color will be reversed, and clicking will not be performed even if you keep gazing at the same place other than the Pause button.

To cancel the pause, keep gazing at the Pause button again.




To switch back from simple mode to normal mode, keep gazing at 📋 icon in the notification area of the taskbar and select Settings from the menu displayed. Then the settings dialog will open. Go to the Startup tab as described on page 83 of this guide and change the startup mode to Normal.



To exit Mill Mouse while in simple mode, keep gazing at icon in the notification area of the taskbar and select Exit from the menu displayed.

Mill Mouse will be in simple mode the next time it starts.



90

On the Profile tab, you can save a set of Mill Mouse settings as a profile and switch between them. For example, you can save your preferred arrangement of shortcuts for a game as a profile in advance. Then, by switching to that profile just before playing the game, you can quickly rearrange the shortcuts as you have saved them.

🔁 Settings - Mill Mouse	×
+ Subaction 🔤 Keyboard 🖊 Shortcuts 🗖	
Current profile: (Default profile)	
Available profiles:	
(Default profile)	Switch profile
1	Press New or Copy.
New Copy Rena	ame Delete
	Close

(Continued)


Settings - Mill Mouse				×	
+ Subaction Ke	⇔ Controller eyboard ⁄ੋ Short ault profile)	2A p	orofile will be ofiles'. Enter	e adde	
Averailable profiles:			Switch profile ③Press'S will rest open ag	art an	•
Ne <u>w</u>	Сору	Rena <u>m</u> e	<u>D</u> elete		
			<u><u> </u></u>	lose	



rofile'. Then Mill Mouse this settings dialog will


(Continued)

	🚹 Settings - Mill Mouse			×
	Speed Input Subaction M Current profile: Gar		nt profile' will o ou entered in (
	Available profiles:			
	(Default profile)		Switch p	profile
	Gaming			
5 Select any tab and set the set save as the cur	tings you wan			
	New	Сору	Rename	Delete
				Close



(Continued)

 Speed Input Controller Subaction Keyboard Shortc Current profile: (Default profile) Available profiles: (Default profile) Gaming (The that, at any time you like, open this tab again, select a profile from 'Available and press 'Switch profile' to switch to the settings. 	Settings - Mill Mouse	\sim
(Default profile) Gaming ③After that, at any time you like, open this tab again, select a profile from 'Available and press 'Switch profile' to switch to the settings.	Speed	'Switch profile'. Then Mill
Gaming (7) After that, at any time you like, open this tab again, select a profile from 'Available and press 'Switch profile' to switch to the settings.	• III	
⑦After that, at any time you like, open this tab again, select a profile from 'Available and press 'Switch profile' to switch to the settings.		Switch profile
tab again, select a profile from 'Available and press 'Switch profile' to switch to the settings.		
	tab again, s and press 'S	elect a profile from 'Available
Close		Close




Other functions



Others - Calibration of eye tracking

You can open the calibration screen of the eye tracking from Calibration on the menu displayed when you keep gazing at the title bar of the window.




If you use Tobii Eye Tracker 4C, Tobii EyeX, or SteelSeries Sentry, it takes about 10 seconds from the \mathbf{X} menu selection until the calibration screen is displayed.



Others - Calibration of eye tracking

If you are using Tobii Eye Tracker 5, Tobii Eye Tracker 4C, Tobii EyeX, or SteelSeries Sentry and have installed Tobii Dynavox Gaze Point, you can select whether to perform the calibration with Tobii Dynavox Gaze Point from the menu.



- To customize the calibration settings of Tobii Dynavox Gaze Point, run Gaze Point Settings separately \mathbf{X} from Mill Mouse.
- If you have installed Tobii Dynavox Windows Control, you can also select it from the menu. \mathbf{X}




97

Others - Calibration of eye tracking

If you are using Irisbond Duo or EyeTech TM5, you can select the number of calibration points from the menu.

When you select it from the menu, a white circle will appear on the screen. Keep gazing at that circle to complete the calibration. To abort calibration, press the Esc key.





The greater the number of calibration points, the longer it takes to calibrate, but the more accurate the eye tracking will be.



Others - Vertical window

Move the window of Mill Mouse to the left or right edge on the desktop screen to display it vertically. Move the vertical window to the upper or lower edge on the desktop screen to revert it to the horizontal window.






Others - Task View

Keep gazing at the middle height of the left edge on the desktop screen to display the Task View on Windows 10.

If it does not work, try to gaze at the outer frame of the monitor.




- Keep gazing at there on Windows 11, the Widgets will be displayed. \mathbf{X}
- Keep gazing at there on Windows 8.1, the list of recently used store apps will be displayed. \mathbf{X}
- On Windows 7, Flip 3D will be used when Windows Aero is enabled. \mathbf{X}



Others - Action Center

Keep gazing at the middle height of the right edge on the desktop screen to display the Action Center on Windows 10.

If it does not work, try to gaze at the outer frame of the monitor.




- Keep gazing at there on Windows 11, the Notification Center and Calendar will be displayed. \mathbf{X}
- Keep gazing at there on Windows 8.1, the Charm bar will be displayed. \mathbf{X}
- Nothing special will be happened on Windows 7. \mathbf{X}



Others - User Account Control

You can also click on the User Account Control dialog by eye tracking or head tracking, which appeared when you install apps or run apps as administrator.

At that time, the window of Mill Mouse will not be displayed.




However, if you are running Mill Mouse and VSeeFace on the same PC, you can not operate the User \mathbf{X} Account Control dialog by head tracking.

Others - Camera panning during games

While playing a game that you pan the camera by mouse operation, you can pan in the direction you are looking at by using Mill Mouse.

While playing such a game, you can change the click action performed when you keep gazing at the same place, by pressing the shortcut keys described on page 61 of this guide.




Others - Pointer movement during games

If you need to move the pointer while playing a game and it does not move where you are looking, use the 'Move pointer' shortcut on page 66 of this guide. Please set the 'Move pointer' shortcut as a separate window by following the steps on page 80 of this guide.

If you keep gazing at the 'Move pointer' shortcut, the button color will be reversed and you will be able to move the pointer wherever you are looking.

To exit the pointer movement and return to the camera movement described above while playing the game, keep looking at the 'Move pointer' shortcut again.




The 'Move pointer' shortcut is only used during game play. The 'Move pointer' shortcut has no effect × on the normal desktop screen.

Others - Click action during games

When you start a game, the click action of Mill Mouse will automatically change to Click if all the following conditions are met.

- A click action other than 'No click' is used.
- No shortcut key is set for any click action.
- The 'Move pointer' shortcut described above is not being used, or is in a state for camera movement.



If you do not want to change to Click automatically, set a shortcut key of your choice by following the steps on page 61 of this guide.




Others - Combination with physical mouse

It is also possible to use in combination with a physical mouse device.

If you operate the physical mouse device while using Mill Mouse, the eye tracking will be paused and the operation by the physical mouse will take precedence. After stopping the operation by the physical mouse and waiting for a few seconds, you will be able to operate the mouse again with eye tracking.

In addition to the physical mouse, if you operate the right thumbstick of the Xbox controller, the eye tracking will be paused.




You can change the settings to pause when you operate the physical mouse or the right thumbstick of the Xbox controller. 106

Others - Stop eye tracking

If you do not need eye tracking for a long time, such as for watching movies, you can stop eye tracking.

To stop eye tracking, look at 'Stop eye control' shortcut or Stop on the menu displayed when you keep gazing at the title bar of the window. Then the window will be hidden.



Unlike the physical mouse operation described above, the stop will not be canceled automatically. You can cancel the stop by looking at the upper left corner of the desktop screen and re-displaying the window.




Others - Stop eye tracking

You can set the 'Stop eye control' shortcut as a separate window by following the steps on page 80 of this guide.

If you keep gazing at the 'Stop eye control' shortcut, the button color will be reversed and eye tracking will stop.

You can cancel the stop by gazing at the 'Stop eye control' shortcut again or by looking at the upper left corner of the desktop screen.



If the taskbar is located at the top or the left, look at the bottom right corner of the screen. However, \mathbf{X} if you have changed the 'Default location of the main window on screen' described on page 82 of this guide, look at that location.


108

Others - Stop eye tracking

If you press Alt + Shift + M, eye tracking will be stopped. The stop will not be canceled automatically.

To cancel the stop which was done by the above keys, press Alt + Shift + M again.

You can change the key combination in the settings dialog as described on page 55 of this guide.




Others - Hide mouse pointer

If you do not need the mouse pointer but need click action, such as for reading e-books, you can hide the mouse pointer.

To hide the mouse pointer, select 'Hide pointer' on the menu displayed when you keep gazing at the title bar of the window.

To unhide it, select 'Hide pointer' again.



Others - Mill Mouse specific shortcut keys

You can adjust the speeds with the following shortcut keys.

Speed of the mouse pointer


Alt + Shift + 1	Slow
Alt + Shift + 2	Fast

Interval between starting to gaze and doing click operation


Alt + Shift + 3	Long
Alt + Shift + 4	Short

Others - Supported languages

Besides English, Mill Mouse supports the following languages. The words in the window of Mill Mouse are displayed according to the language settings of Windows.



- In the Arabic or Hebrew environment, the window is appeared at the top right or the bottom left of \mathbf{X} the desktop screen.
- In the Spanish or Portuguese environment, some shortcut keys are changed, such as using Ctrl + G \mathbf{X} instead of Ctrl + S.



🖆 Mill Mouse				_			
	R 7	(+)		ố Settings of Mill Mouse	🖽 Start	Å Cut	ĥ
Click	ビ 凶 Stretch	Magnifier	Keyboard	Stop Eye Control	闫i Task View	🗅 Сору	Ŵ

By default in Windows, you can enable or disable high contrast by pressing Left Shift + Left Alt + Print \mathbf{X} Screen keys.

Tips - To enlarge buttons

If buttons are too small to operate, please change the settings with the following steps.

From the Start menu of Windows 10, click the Settings icon.



- System > Display > Change the percentage of 'Scale and layout'.
- If it is still too small, set a larger size as 'Custom scaling' in 'Advanced scaling' 3. settings'. (In order to reflect custom scaling, you need to sign out from Windows 10 and sign in again.)
- On Windows 8.1 or Windows 7, please change the settings by the following steps. \mathbf{X}
- Right click on the desktop screen > Click 'Screen resolution'.
- Click 'Make text and other items larger or smaller'.
- Change it to a larger size and click Apply. 3.
- Sign out from Windows and sign in again. 4.

Tips - Upgrading Tobii Core Software

If you face a problem after upgrading Tobii Eye Tracking Core Software to a new version, please try the clean installation as follows: (AThe following steps are for people familiar with Windows. Calibration profiles for the eye tracking will be deleted.)

- Uninstall the Tobii Eye Tracking software from 'Programs and Features' in Control Panel. 1.
- With Tobii Eye Tracker 4C or other eye tracking device connected to your PC, open Device 2. Manager and uninstall EyeChip in 'Universal Serial Bus devices'. If EyeChip does not exist, uninstall the driver in 'Eye Tracking Devices'.
- Open Registry Editor and delete the following keys: 3.
 - HKEY_CURRENT_USER\Software\Tobii
 - HKEY_LOCAL_MACHINE\SOFTWARE\WOW6432Node\Tobii
- Open File Explorer and delete the following folders: 4.
 - %localappdata%\Tobii
 - %programdata%\Tobii
 - %programdata%\TetServer
- Restart Windows. 5.
- Install a new version of Tobii Eye Tracking Core Software. 6.
- Calibrate the eye tracking.

Tips - To use SSML or SAPI TTS XML

If you enable 'Hear text read aloud' as described on page 74 of this guide, you can write <u>SSML</u> or <u>SAPI TTS XML</u> in 'Text' as follows:

SSML example	<pre><speak version="1.0" xml:lang="en-US" xmlns="http://www.w3.org/2001/10/synthesis"> Hello<break time="300ms"></break>How are you? </speak></pre>				
SAPI TTS XML example	Hello <silence msec="300"></silence> How are you?				

At the beginning of 'Text', write <speak> in SSML, or any XML tag in SAPI TTS XML. Change the value of xml:lang attribute in SSML according to your language.



Tips - To use SwiftKey on Windows 10

SwiftKey feature was added to the touch keyboard in Windows 10 October 2018 Update. Only some languages are supported.

To use SwiftKey with Mill Mouse, please follow the steps below.



Tips - To use 50-on keyboard layout

If you are using the Japanese IME on Windows 11, you can switch to the 50-on layout with the touch keyboard.


To switch to the 50-on layout, select it touch keyboard > 'Keyboard layout' > '50-on'.

\$											
Keyboard layout	>	📟 Default		Þ	ま	は	な	た	さ	か	あ
🖄 Handwriting		50-on			-				<u> </u>		· · · ·
G Theme and resize		🏼 12-key		Ф	み	Q	15	ち	L	き	L1
🖉 Give feedback	ି Give feedback 🖾 Small				む	151	ぬ	2	す	<	Ĵ
More settings	>	💷 Split									
	Ŷ	Traditional			め	~	ね	τ	せ	け	え
	В	小"°	3	0	ŧ	ほ	の	٤	そ	٢	お

* The 50-on layout is not available with the touch keyboard on Windows 10, Windows 8.1, or Windows 7.

 \times The 50-on layout is not available with the on-screen keyboard.

icon in the upper left corner of the




Tips - Remote control of other PCs

By using remote desktop software such as VNC or <u>Parsec</u>, you can remotely control other PCs by eye tracking from a Windows PC with Mill Mouse installed.

However, there are the following functional limitations for other PCs that are remotely controlled.

- The scrolling feature on page 7 and page 57 of this guide is not available.
- The feature to prevent protrusion from the frames, described on page 7 of this guide, is not available.
- The feature 'Hear text of the clicked item read aloud' on page 56 of this guide is not available.



You can use Windows built-in eye control with Tobii Eye Tracker 5, Irisbond Duo, EyeTech TM5, TrackIR 5, or VSeeFace. To use it, follow the steps below to set it up.

- Download the ZIP file of the sample driver provided by Microsoft from the following URL. https://github.com/MSREnable/GazeHid/raw/master/EyeGazeloctl%20Driver.zip
- Extract the downloaded ZIP file to any location such as the desktop. 2.

A 64-bit environment of Windows 11 or Windows 10 (since Fall Creators Update) is required to use Windows built-in eye control through these steps.

(Continued)


- 3. Hold down the Windows logo key and press R on your keyboard.
- 4. The Run dialog will open. Enter 'hdwwiz' in Open and click OK.

🗁 Run	×
	Type the name of a program, folder, document, or Internet resource, and Windows will open it for you.
<u>O</u> pen:	hdwwiz ~
	OK Cancel <u>B</u> rowse



(Continued)


5. Click Yes on the User Account Control dialog.





(Continued)

- 6. 'Add Hardware' wizard will open. Click Next.
- 7. Select 'Install the hardware that I manually select from a list (Advanced)' and click Next.




Next 2 Oancel

(Continued)


8. Click Next and 'Have Disk'.

Add Hardware	Add Hardware
From the list below, select the type of hardware you are installing	Select the device driver you want to install for this hardware.
If you do not see the hardware category you want, click Show All Devices.	Select the manufacturer and model of your hardware device an disk that contains the driver you want to install, click Have Disk
Common hardware types:	
Show All Devices © Cameras Compute accelerators	(Retrieving a list of all devices)
Digital Media Devices Display adapters	
Eye Tracking Devices Eye Tracking Devices	
Generic Remote Desktop devices IDE ATA/ATAPI controllers	
< Back Next Oancel	< Beck
$\sqrt{\sum}$	




(Continued)

9. click Open.




(Continued)

10. Click OK and Next.



(Continued)


11. Click Next and Finish.





(Continued)

- 12. Launch Mill Mouse, open the settings dialog and go to the Shortcuts tab.
- 13. Select 'Windows eye control' near the bottom of 'Available shortcuts', press ▶ button to move it to 'Current shortcuts', and click Close.

Speed	ll Pause 외》 Sound nortcuts 🗖 Window 두
Available shortcuts:	Current shortcuts:
◎ Turn Magnifier off (Win+ ^	Main window (20)
Color filters (Win+Ctrl+C)	🔅 Settings of Mill Mo
On-Screen Keyboard (Wi	Stop eye control
오 Narrator (Win+Ctrl+Enter)	器 Start (Win)
Mouse Keys (Alt+Shift+N	L I I Task View (Win+Tak
🔆 High Contrast (Alt+Shift+	X Cut (Ctrl+X)
📼 Sticky Keys	Copy (Ctrl+C)
📼 Filter Keys	P= Strl+V)
📼 Toggle Keys	🔟 Dele.
Windows eye control	り Undo (Cti
	ි Redo (Ctrl+Y)
	1. Onen (Ctrl+O)
+	\









Windows eye control - How to use

If you are prompted with "How do you want to open this?" when you starting the calibration, click Mill Mouse and then OK.

↑↓	۲	Ċ	٢Û٢	``		\square		(
				Configurat	n app n the N		e	

If you are using TrackIR 5 or VSeeFace, nothing will happen when you select the calibration button on \mathbf{X} the launchpad.





If the taskbar is located at the top or the left, look at the bottom right corner of the screen. However, \mathbf{X} if you have changed the 'Default location of the main window on screen' described on page 82 of this guide, look at that location.

Notices

Uninstallation

To uninstall Mill Mouse, do it from 'Programs and Features' in Control Panel.

Additionally, to uninstall the sample driver you installed to use Windows eye control, open Device Manager and right click on the 'EyeGazeloctl Device' in either 'Eye Tracking Devices' or 'Sample Device', and select 'Uninstall device'.

Known issues

- With Tobii Eye Tracker 5, it works at a very low sampling rate of around 33Hz. Therefore, the mouse pointer does not move smoothly.
- Even if you use the 'Move pointer' shortcut, the mouse pointer may not move where you are looking in some games.

Restrictions

- Mill Mouse is a free software. Author topolo-Z is not responsible for any situation resulting from the use of this application software.
- The bundled IrisbondAPI.dll and PGRFlyCapture.dll are from the SDK developed by IRISBOND CROWDBONDING. S.L.

https://www.irisbond.com/en/

The bundled QuickLink2.dll is from the SDK developed by EyeTech Digital Systems, inc.

https://eyetechds.com/

- Mill Mouse uses VMC Protocol. https://protocol.vmc.info/
- Mill Mouse uses oscpack according to the 'Terms of use' at the following URL. http://www.rossbencina.com/code/oscpack/
- The copyright of the silhouettes of mouse belongs to FLOP DESIGN. Author topolo-Z uses silhouette materials purchased from FLOP DESIGN. https://www.flopdesign.com/



Contacts to author

- Author: topolo-Z
- Mail: topolo-z@outlook.jp
- Home page: <u>https://millmouse.wordpress.com/</u>

https://mill-mouse.blogspot.com/

The following 86 types of shortcut keys are available in Mill Mouse.

- Start (Windows logo key)
- Action Center (Windows logo key+A)
- Show desktop (Windows logo key+D)
- File Explorer (Windows logo key+E)
- Settings (Windows logo key+I)
- Connect (Windows logo key+K)
- Lock (Windows logo key+L)
- Rotation lock (Windows logo key+O)
- Project (Windows logo key+P)
- Run (Windows logo key+R)

- Search Everywhere (Windows logo key+S)
- Clipboard (Windows logo key+V)
- Windows Ink Workspace (Windows logo key+W)
- Emoji (Windows logo key+Period(.))
- System (Windows logo key+Pause)
- Task View (Windows logo key+Tab)
- Maximize (Windows logo key+Up)
- Minimize (Windows logo key+Down)
- Snap left (Windows logo key+Left)
- Snap right (Windows logo key+Right)



(Continued)

- Speech Recognition (Windows logo key+Ctrl+S)
- Date & time (Windows logo key+Alt+D)
- Screen snip (Windows logo key+Shift+S)
- Hold down Ctrl key
- Select all (Ctrl+A)
- Copy (Ctrl+C)
- New (Ctrl+N)
- Open (Ctrl+O)
- Print (Ctrl+P)
- Save (Ctrl+S)

- Paste (Ctrl+V)
- Cut (Ctrl+X)
- Redo (Ctrl+Y)
- Undo (Ctrl+Z)
- Zoom in (Ctrl+Plus sign(+))
- Zoom out (Ctrl+Minus sign(-))
- Switch apps (Ctrl+Alt+Tab)
- Task Manager (Ctrl+Shift+Esc)
- Close (Alt+F4)
- Home (Alt+Home)

n(+)) sign(-)) Tab) ft+Esc)

(Continued)

- Back (Alt+Left)
- Forward (Alt+Right)
- Hold down Shift key
- Help (F1)
- Rename (F2)
- Search (F3)
- Refresh (F5)
- Full screen (F11)
- Backspace key (Backspace)
- Context menu

- Delete (Del)
- Enter key (Enter)
- Esc key (Esc)
- Screenshot (Print Screen)
- Space key (Space)
- Tab key (Tab)
- Up Arrow (Up)
- Down Arrow (Down)
- Left Arrow (Left)
- Right Arrow (Right)



(Continued)

- Email
- Web browser
- Brighten
- Dim
- Play/Pause
- ► Stop
- Previous track
- Next track
- Mute
- Volume up



Power

Sleep



(Continued)

- Ease of Access (Windows logo key+U)
- Zoom in with Magnifier (Windows logo key+Plus sign(+))
- Zoom out with Magnifier (Windows logo key+Minus sign(-))
- **Turn Magnifier off** (Windows logo key+Esc)
- Color filters (Windows logo key+Ctrl+C)
- On-Screen Keyboard (Windows logo key+Ctrl+O)
- Narrator (Windows logo key+Ctrl+Enter)
- Mouse Keys (Left Alt+Left Shift+Num Lock)
- High Contrast (Left Alt+Left Shift+Print Screen)
- Sticky Keys

- Filter Keys
- Toggle Keys
- Windows eye control

- Action Center (Windows logo key+A) is only available on Windows 10. Quick Settings (Windows logo \mathbf{X} key+A) on Windows 11 is available instead. Charms (Windows logo key+C) on Windows 8.1 is available instead. No alternative shortcut keys are available on Windows 7.
- Settings (Windows logo key+I), Connect (Windows logo key+K), Rotation lock (Windows logo key+O) \mathbf{X} and Search Everywhere (Windows logo key+S) are only available on Windows 11, Windows 10 or Windows 8.1. No alternative shortcut keys are available on Windows 7.
- Clipboard (Windows logo key+V), Emoji (Windows logo key+Period(.)), Speech Recognition (Windows ×. logo key+Ctrl+S), Screen snip (Windows logo key+Shift+S), Color filters (Windows logo key+Ctrl+C) and On-Screen Keyboard (Windows logo key+Ctrl+O) are only available on Windows 11 or Windows 10. No alternative shortcut keys are available on Windows 8.1 or Windows 7.
- Windows Ink Workspace (Windows logo key+W) is only available on Windows 10. Widgets (Windows X logo key+W) on Windows 11 is available instead. No alternative shortcut keys are available on Windows 8.1 or Windows 7.
- Date & time (Windows logo key+Alt+D) is only available on Windows 10. No alternative shortcut keys X are available on Windows 11, Windows 8.1 or Windows 7.
- Neither Maximize (Windows logo key+Up) nor Minimize (Windows logo key+Down) will work if 'Prevent windows from being automatically arranged when moved to the edge of the screen' is enabled in Ease of Access Center on Windows 8.1 or Windows 7. (Excluding store apps on Windows 8.1)

- Neither Snap left (Windows logo key+Left) nor Snap right (Windows logo key+Right) will work if \mathbf{X} 'Prevent windows from being automatically arranged when moved to the edge of the screen' is enabled in Ease of Access Center. (Excluding store apps on Windows 8.1)
- Task View (Windows logo key+Tab) is only available on Windows 11 or Windows 10. Recent apps X (Windows logo key+Ctrl+Tab) on Windows 8.1 or Flip 3D (Windows logo key+Ctrl+Tab) on Windows 7 is available instead.
- Switch apps (Ctrl+Alt+Tab) does not work while using Windows Classic theme or High Contrast theme X on Windows 7.
- Rotation lock (Windows logo key+O), Brighten and Dim may not work on your PC. \mathbf{X}
- The action when Power or Sleep is selected follows the setting of 'When I press the power button' or \mathbf{X} 'When I press the sleep button' in Control Panel.
- To turn Magnifier on with shortcut key, use 'Zoom in with Magnifier' (Windows logo key+Plus sign(+)). \mathbf{X} Then Magnifier will start in full screen view.
- Narrator (Windows logo key+Ctrl+Enter) is only available on Windows 11 or Windows 10. On Windows \mathbf{X} 8.1, it is available by Windows logo key+Enter instead. No alternative shortcut keys are available on Windows 7.
- Color filters (Windows logo key+Ctrl+C), Mouse Keys (Left Alt+Left Shift+Num Lock), High Contrast \mathbf{X} (Left Alt+Left Shift+Print Screen), Sticky Keys, Filter Keys and Toggle Keys will not work if those keyboard shortcuts are disabled in Ease of Access Center or the Settings of Windows.

Windows eye control' is only available on Windows 11 or Windows 10 (since Fall Creators Update). No alternative shortcuts are available on Windows 8.1 or Windows 7.

